

```

[...snipped...]
UdpMulticastExamples.UdpSender shows how to send simple-type values via DataOutputStream
UdpMulticastExamples.UdpSender started...
UdpMulticastExamples.UdpSender chris localhost/127.0.0.1 sent values(1,99.0,"chris says we need to understand llamas in order to code",false) as packet #1 of 100
UdpMulticastExamples.UdpSender chris localhost/127.0.0.1 sent values(2,99.0,"chris says we need to understand llamas in order to code",true) as packet #2 of 100
UdpMulticastExamples.UdpSender chris localhost/127.0.0.1 sent values(3,97.0,"chris says we need to understand llamas in order to code",false) as packet #3 of 100
UdpMulticastExamples.UdpSender chris localhost/127.0.0.1 sent values(4,96.0,"chris says we need to understand llamas in order to code",true) as packet #4 of 100
UdpMulticastExamples.UdpSender chris localhost/127.0.0.1 sent values(5,95.0,"chris says we need to understand llamas in order to code",false) as packet #5 of 100
UdpMulticastExamples.UdpSender chris localhost/127.0.0.1 sent values(6,94.0,"chris says we need to understand llamas in order to code",true) as packet #6 of 100
UdpMulticastExamples.UdpSender chris localhost/127.0.0.1 sent values(7,93.0,"chris says we need to understand llamas in order to code",false) as packet #7 of 100
UdpMulticastExamples.UdpSender chris localhost/127.0.0.1 sent values(8,92.0,"chris says we need to understand llamas in order to code",true) as packet #8 of 100

```

[illegible]